

LIST OF HOTEL CUSTOMERS AS ON 31-03-2019

TAMILNADU

| S.N O. | Name of the Hotels | Qty | Capacity |
|--------|--|-----|--|
| 1 | Hotel Savera, Chennai | 3 | 7500 LPD at 70° C |
| 2 | Hotel Pratap Plaza, Chennai | | 4000 LPD at 80° C |
| 3 | Hotel City Tower, Chennai | | 4000 LPD at 60° C |
| 4 | Hotel Swagath, Chennai | | 3000 LPD at 80° C 1000 LPD at 80° C |
| 5 | Hotel City Towers, Coimbatore | | 3000 LPD at 70° C |
| 6 | Hotel Mahal, Salem | | 3000 LPD at 60° C |
| 7 | Hotel Himalaya, Chennai | | 3000 LPD at 60° C |
| 8 | Hotel Atlantic, Chennai | 2 | 2500 LPD at 80° C |
| 9 | Andhra Social & Cultural Assn, Chennai | | 2500 LPD at 80° C |
| 10 | Hotel Vasantham, Salem | | 2500 LPD at 60° C |
| 11 | Hotel Ranjith, Chennai | | 2500 LPD at 60° C |
| 12 | Hotel Ganga International, Chennai | | 2000 LPD at 60° C |
| 13 | Jayabala Hotels Pvt Ltd, Kanchipuram | | 2000 LPD at 60° C |
| 14 | Hotel Gautham Manor, Chennai | | 2000 LPD at 60° C |
| 15 | Hotel Moubrays Inn, Chennai | | 2000 LPD at 60° C |
| 16 | Hotel Silver Star, Chennai | | 2000 LPD at 60° C |
| | | | 500 LPD at 60° C |
| 17 | Hotel Chennai Palace, Chennai | | 2000 LPD at 60° C |
| 18 | Indian Palace, Chennai | | 2000 LPD at 60° C |
| 19 | Hotel Nayagra, Chennai | | 2000 LPD at 60° C |
| 20 | Kota Hotels, Coimbatore | | 1500 LPD at 80° C |
| 21 | Hotel Tamilnadu, Madurai | | 1500 LPD at 80° C |
| | | | 800 LPD AT 60° C |
| 22 | YWCA, Chennai | 2 | 1500 LPD at 70° C |
| 23 | Andhra Mahila Sabha, Chennai | | 1500 LPD at 60° C |
| 24 | Light of Asia, Chennai | | 1500 LPD at 60° C |
| 25 | Hotel Athiya, Kumbakonam | | 1500 LPD at 60° C |

| | | | |
|----|--|---|-------------------|
| 26 | Hotel Selvis Pvt Ltd., Thiruvarur | | 1500 LPD at 60° C |
| 27 | Bava Lodge, Chennai | | 1500 LPD at 60° C |
| 28 | Kurinchi Lodge, Udumalpet | | 1000 LPD at 80° C |
| 29 | Uma Lodge, Chennai | | 1000 LPD at 60° C |
| 30 | Hotel Mamalla Bhavan Annex, Mamallapuram | | 1000 LPD at 60° C |
| 31 | Hotel SRS, Kanchipuram | | 1000 LPD at 60° C |
| 32 | Hotel Haripaun, Chennai | | 1000 LPD at 60° C |
| 33 | Megala Inn, Chennai | | 1000 LPD at 60° C |
| 34 | Classic Farms & Resorts, Chennai | | 1000 LPD at 60° C |
| 35 | Murugan Mansion, Chennai | | 1000 LPD at 60° C |
| 36 | Shalimar Palace, Udumalpet | | 750 LPD at 60° C |
| 37 | Welcome Sea Resorts, Mahabalipuram | | 700 LPD at 60° C |
| 38 | Silver Sands, Mahabalipuram | | 500 LPD at 60° C |
| 39 | Trichy Cafe, Erode | | 500 LPD at 60° C |
| 40 | Nathan's Lodge, Madurai | | 500 LPD at 60° C |
| 41 | Pheonix Entertainment | | 1000 LPD at 60° C |
| | | | 500 LPD at 60° C |
| 42 | JPRI | | 2000 LPD at 60° C |
| 43 | Hotel Sudhara | | 2000 LPD at 60° C |
| 44 | Hotel Lakshmi Vilas, Arakonam | | 500 LPD at 60° C |
| 45 | Hotel Mars, Classic, Chennai | | 500 LPD at 60° C |
| 46 | Hotel Kavitha, Kovilpatti | | 500 LPD at 60° C |
| 47 | Kavitha Lodge, Chennai | | 300 LPD at 60° C |
| 48 | S.S.M.Estates, Chennai | | 300 LPD at 60° C |
| 49 | Mayavaram Lodge, Trichy | 4 | 300 LPD at 60° C |
| 50 | Hotel Maurya International | | 2000 LPD at 60° C |
| 51 | Hotel Sangeetha | | 1500 LPD at 60° C |
| 52 | Andhra Social Club, T.Nagar, Chennai | | 2500 LPD at 60° C |
| 53 | Hotel Shelter, Mylapore, Chennai | | 3000 LPD at 60° C |
| 54 | "Planet Yumm" Hotel Sangeetha, Koyambedu | | 500 LPD at 60° C |
| 55 | Plaza Inn, Park Town, Chennai | | 2000 LPD at 60° C |
| 56 | Metro Tower, Park Town, Chennai | | 1000 LPD at 60° C |
| 57 | Sriji Inn, chennai | | 1000 LPD at 60° C |
| 58 | Madras Hotel Ashoka, chennai | | 1000 LPD at 60° C |
| 59 | Inn Chennai, chennai | | 1500 LPD at 60° C |
| 60 | ARR Chennai GateWay, chennai | | 1000 LPD at 60° C |

| | | | |
|----|--|---|--|
| 61 | Hotel Arunachala, Thiruvannamalai | | 1500 LPD at 60° C |
| 62 | Kayaram Hotels Pvt Ltd, Chetpet, Chennai | | 500 LPD at 60° C |
| 63 | Green Gold Inn, Chennai | | 1000 LPD at 60° C |
| 64 | Hotel Palmgrove, chennai | | 2000 LPD at 60° C |
| 65 | Golden Crown Hotels (P) Ltd, chennai | | 1500 LPD at 60° C |
| 66 | Lius waldrof Chinese restaurant, chennai | | 100 LPD at 60° C |
| 67 | Prasath Raja Properties, T.Nagar, Chennai | 2 | 1500 LPD at 60° C |
| 68 | Taj GVK (Sri Thirupurasundari Hotels), Chennai | | 3000 LPD at 60° C |
| 69 | New Victoria Hotel, Egmore, Chennai | | 2500 LPD at 60° C |
| 70 | Hotel Ramada Raj Park, TTK Road, Chennai | | 3000 LPD at 70° C 1000 LPD at 70° C |
| 71 | Empee International Hotel, Annasalai, Chennai | | 4000 LPD at 60° C |
| 72 | Raju Hotel, Egmore, Chennai | | 1000 LPD at 60° C |
| 73 | Hotel Taj Kamar, T.Nagar, Chennai | | 2000 LPD at 60° C |
| 74 | Hotel Melody, Puraswakkam, Chennai | | 1500 LPD at 60° C |
| 75 | Hotel Chandra Bhavan, Arcot Road, Chennai | | 1000 LPD at 60° C |
| 76 | Gemini Inn, G.N.Chetty Road, Chennai | | 3000 LPD at 60° C |
| 77 | Hotel Mahasakthi, Chennai | | 1500 LPD at 60° C |
| 78 | Maruthi Residency, Mogapair, Chennai | | 1000 LPD at 60° C |
| 79 | Hotel Ravithaa Inn, Pammal, Chennai | | 500 LPD at 60° C |
| 80 | Zamindar Restaurant | | 1000 LPD at 60° C |
| 81 | Hotel Mamalla Heritage, Mahabalipuram | | 500 LPD at 60° C 1000 LPD at 60° C |
| 82 | Golden Bay Resort, Koovathurpettai, Cheyyar | 3 | 500 LPD at 60° C |
| | | 2 | 300 LPD at 60° C |
| | | 1 | 200 LPD at 60° C |
| 83 | Hotel Bharani, Thiruvanmiyur, Chennai | | 1500 LPD at 60° C |
| 84 | The Beach Retreat, ECR, Mahabalipuram | | 300 LPD at 60° C |
| 85 | Kings Cross Residency, Adyar, Chennai | | 1500 LPD at 60° C |

| 86 | Hotel Saratharajan's, Madurai | | 2000 LPD at 60° C |
|---|---|-----|--------------------|
| 87 | Mr.Masood Hashim, Kilpauk Chennai | | 300 LPD at 80° C |
| 89 | M/S.Golden Bay Resort,Kuvathur | | 500 LPD at 60° C |
| 90 | M/S.Hotel Arun International Koyambedu, Chennai | | 1000 LPD at 60° C |
| 93 | M/S.Srirangam Srimath Andavar Ashramam Tanjore District | | 1500 LPD at 60° C |
| 94 | M/S.Srirangam Srimath Andavar Ashramam, Kumbakonam | | 500 LPD at 60° C |
| ANDHRA PRADESH | | | |
| 95 | Hotel Surya International, Nellore | | 1500 LPD at 60° C |
| 96 | Hotel Karthik, Nellore | | 1500 LPD at 60° C |
| 97 | Sai Ganesh Complex, Puthoor | | 300 LPD at 80° C |
| 98 | Hotel Abhiram, Nellore | | 2000 LPD at 60° C |
| 99 | Hotel Raj Park, Tirupathi | | 4000 LPD at 60° C |
| KERALA | | | |
| 100 | Sterling Holiday Resorts, Munnar | | 10000 LPD at 60° C |
| 101 | Hotel International, Ernakulam | | 5000 LPD at 60° C |
| 103 | Hotel Cochin Towers, Cochin | | 3000 LPD at 70° C |
| 104 | Hotel Udupi Ananthabhavan, Ernakulam | | 3000 LPD at 60° C |
| 105 | Hotel Abad Plaza, Cochin | | 2200 LPD at 70° C |
| 106 | Hotel Raj Mahal, Ernakulam | | 2000 LPD at 60° C |
| 107 | Hotel Sidhartha, Trichur | | 2000 LPD at 60° C |
| 108 | Hotel Paulson Park, Ernakulam | | 1000 LPD at 60° C |
| 109 | Good Shepherd Tourist Home, Ernakulam | | 1000 LPD at 60° C |
| 110 | Hotel Abad Plaza, Cochin | | 600 LPD at 60° C |
| PONDICHERRY | | | |
| 111 | St.James Court Beach Resort | | 200 LPD at 60° C |
| LIST OF CANTEEN CUSTOMERS AS ON 31.03.2019 | | | |
| TAMILNADU | | | |
| S.N O. | NAME | QTY | CAPACITY |
| 1 | Ashok Leyland Ltd., Hosur | | 5000 LPD at 80° C |
| 2 | Simpson & Company Ltd., Chennai | | 4000 LPD at 80° C |
| | | | 3000 LPD at 80° C |
| 3 | PSG Industrial Institute, Coimbatore | | 4000 LPD at 80° C |

| | | | |
|----|---|----|--|
| 4 | Lucas TVS Ltd., Chennai | | 3000 LPD at 80° C |
| 5 | Kunal Engineering Co. Ltd., Chennai | | 3000 LPD at 80° C |
| 6 | English Electric Co. of India Ltd., Hosur | | 3000 LPD at 80° C |
| 7 | South India Viscose Ltd., Coimbatore | | 3000 LPD at 80° C |
| 8 | Carborandum Universal Ltd., Hosur | | 3000 LPD at 80° C |
| 9 | English Electric Co. of India Ltd., Chennai | | 2500 LPD at 70° C |
| 10 | MRF Ltd., Chennai | | 2000 LPD at 80° C |
| 11 | UCAL Fuel Systems Ltd., Chennai | | 2000 LPD at 70° C |
| 12 | Tuticorin Alkaline Chemicals Ltd., Tuticorin | | 1500 LPD at 80° C |
| 13 | Madras Dock Labour Board Unit – 1, Chennai | | 1500 LPD at 80° C |
| 14 | Standard Batteries Ltd., Chennai | | 1500 LPD at 80° C |
| 15 | Sri Ramanashramam, Thiruvannamalai | | 1000 LPD at 60° C |
| | | | 300 LPD at 60° C |
| 16 | Ordinance Factory, Trichy | | 600 LPD at 60° C |
| 17 | Hyundai Motor India Ltd, Chennai | 2 | 2000 LPD at 80° C |
| | | 2 | 3000 LPD at 80° C |
| 18 | Delphi TVS - Diesel Systems Ltd, Chennai | | 1000 LPD at 80° C 3000 LPD at 80° C |
| 19 | Controller of Defence Accounts, Chennai | | 500 LPD at 60° C |
| 20 | McRennett Foods Pvt Ltd., Chennai | | 500 LPD at 60° C |
| 21 | Konganar Spinners Pvt Ltd., Coimbatore | | 300 LPD at 80° C |
| 22 | Air Officers Commanding, Chennai | 12 | 300 LPD at 50° C |
| 23 | Nesamony Transport Corpn Ltd, Nagercoil | | 200 LPD at 60° C |
| 24 | Amrutanjan Ltd., Chennai | | 2000 LPD at 80° C |
| 25 | Stewards & Lloyds Hyundai, Chennai | 2 | 200 LPD at 80° C |
| 26 | HMI – Welfare Centre (Hyundai Motors) | 2 | 1800 LPD at 80° C |
| 27 | Harmony Realtors, Kodaikanal | | 200 LPD at 60° C |
| 28 | Automotive Ancillary Service (P) Ltd, Kanchipuram | | 1000 LPD at 60° C |

| 29 | Infosys Technologies Ltd, Sholingannur | | 2500 LPD at 60° C |
|--|---|-----|-------------------|
| 30 | Sri Ramanashramam, Thiruvannamalai | | 800 LPD at 60° C |
| 31 | Balamandir Kamaraj Trust, Chennai | | 1000 LPD at 80° C |
| 32 | Air Force Mess Station, Avadi | | 300 LPD at 60° C |
| 33 | Reynolds Pen India Pvt Ltd | | 1000 LPD at 60° C |
| 34 | Ashok Leyland & Alteams Pvt Ltd, Chennai | | 2000 LPD at 80° C |
| 35 | D.G.Vaishnav College, Chennai | 2 | 1000 LPD at 60° C |
| 36 | TOSHIBA JSW TURBINE & GENERATOR PVT LT | 2 | 2500 LPD at 80° C |
| NAGPUR | | | |
| 37 | Standard Solar Equipments | 2 | 500 LPD at 80° C |
| KERALA | | | |
| 38 | Apollo Tyres Ltd., Chalakudy | | 2000 LPD at 80° C |
| 39 | Travancore Cochin Chemicals Ltd, Kalamassery | | 1000 LPD at 60° C |
| 40 | Hindustan Organic Chemicals, Ambalamugal | | 500 LPD at 60° C |
| LIST OF GUEST HOUSE & HOSTEL CUSTOMERS AS ON 31.10.2018 | | | |
| S No. | NAME | Qty | CAPACITY |
| 1 | Little Sisters of the poor, Home for the Aged, Chennai | | 5000 LPD at 60° C |
| | Dindigul | | 500 LPD at 60° C |
| | Chennai | | 300 LPD at 60° C |
| | Erode | | 500 LPD at 60° C |
| | Erode | | 300 LPD at 60° C |
| | Chennai | 2 | 2000 LPD at 60° C |
| 2 | Govt. Spl.Juvenile Home for Girls, Chennai | 2 | 2000 LPD at 80° C |
| 3 | Kasturibai Gandhi High School, Chennai | | 2000 LPD at 80° C |
| 4 | Govt Boys Hostel, Yercaud | | 2000 LPD at 80° C |
| 5 | Adi Dravidar Welfare Boys Hostel, Yercaud | | 1500 LPD at 80° C |
| 6 | Observation Home and Special School, Pondy. | | 1000 LPD at 70° C |
| 7 | Sri Kumaran Home, Kanchipuram | | 1000 LPD at 60° C |
| | | | 300 LPD at 80° C |

| | | | |
|----|--|---|-------------------|
| 8 | Sri Gujarathi Swethamber Sthanakwasi, Chennai | | 1000 LPD at 60° C |
| | | | 1000 LPD at 60° C |
| 9 | The Theosophical Society, Chennai | | 1000 LPD at 60° C |
| 10 | Udavum Karangal, Chennai | | 1000 LPD at 60° C |
| 11 | SPL Uma Apartments, Chennai | 3 | 1000 LPD at 60° C |
| 12 | Asha Nivas Social Welfare Assn., Chennai | | 1000 LPD at 60° C |
| 13 | Sacred Heart Convent, Yercaud | | 1000 LPD at 60° C |
| | | | 800 LPD at 60° C |
| | | 2 | 1000 LPD at 60° C |
| 14 | Andhra Mahila Sabha Tourist Hostel, Chennai | | 800 LPD at 60° C |
| 15 | Navodaya School, Pondicherry | 2 | 600 LPD at 70° C |
| 16 | Children's Home Gandhi Gram Trust, Gandhigram | | 500 LPD at 70° C |
| 17 | Sabaresh Housing Development Pvt Ltd., Chennai | | 500 LPD at 60° C |
| 18 | Sister Anila, Perungulathur, Chennai | | 500 LPD at 60° C |
| 19 | Continuing Education Hostel, Chennai | | 500 LPD at 60° C |
| 20 | The Children Garden School, Chennai | | 500 LPD at 60° C |
| 21 | Thiyagarajar College of Engg, Madurai | | 500 LPD at 60° C |
| 22 | Life Help Centre for the Handicapped, Chennai | | 500 LPD at 60° C |
| 23 | P.K.Vaduvammal Choultry, Chennai | | 500 LPD at 60° C |
| 24 | Surendra Enterprises, Chennai | | 300 LPD at 80° C |
| 25 | Sri Ramakrishna Kalyanmandapam | | 500 LPD at 60° C |
| 26 | Ramakrishna Sarada Gurukulam | | 500 LPD at 60° C |
| 27 | Vipasana Meditation Center | 6 | 500 LPD at 60° C |
| 28 | Sivananda Saraswathi | | 1000 LPD at 60° C |
| 29 | Ramaneyam Real Estate, Chennai | | 300 LPD at 80° C |
| 30 | Theni Kammavar Matric High Sec. | | 300 LPD at 80° C |
| 31 | Sarva JainikSadan Kendra, Thirukazhukundram | | 300 LPD at 80° C |

| | | | |
|----|---|----|-------------------|
| 32 | Christian Mission Service, Nilgris | | 300 LPD at 80° C |
| 33 | Sri Krishna Builders, Chennai | | 300 LPD at 60° C |
| 34 | Vishranthi Charitable Trust, Chennai | | 300 LPD at 80° C |
| | | | 500 LPD at 60° C |
| 35 | Sri Balaji & Co., Arakonam | | 300 LPD at 50° C |
| 36 | Santhosh Ashram Associates, Chennai | | 300 LPD at 50° C |
| 37 | Sri Ram Educational Trust, Chennai | | 300 LPD at 50° C |
| 38 | Madhurapur Ashram | | 1000 LPD at 60° C |
| 39 | Children Gandhi School Society, Chennai | | 500 LPD at 60° C |
| 40 | Periyar Maniyammai College, Thanjavur | | 500 LPD at 60° C |
| 41 | Madras Medical College Boys Hostel, Chennai | | 2000 LPD at 80° C |
| 42 | PSG Industrial Institute, Coimbatore | | 700 LPD at 60° C |
| 43 | Vishranthi Home, Chennai | | 300 LPD at 60° C |
| | | | 500 LPD at 60° C |
| 44 | Madhurapuri Ashram, Padappai | | 1000 LPD at 60° C |
| 45 | "BANYAN" Orphanage Home, Anna Nagar | | 4000 LPD at 60° C |
| 46 | Sri Ramakrishna Math | | 500 LPD at 60° C |
| 47 | Sivanantha Gurulam, Chennai | | 500 LPD at 60° C |
| | | | 300 LPD at 60° C |
| 48 | Friends in Need Society, P.H.Road, Chennai | | 2500 LPD at 60° C |
| 49 | Sri Ramanashramam, Thiruvannamalai | | 800 LPD at 60° C |
| 50 | Women's Christian College, Chennai | | 1000 LPD at 60° C |
| 51 | Annai Sathya Orphanage, Nagappatinam | 1 | 1000 LPD at 60° C |
| 52 | Ellen Sharma School, Sholinganallur, Chennai | 2 | 500 LPD at 60° C |
| | | 1 | 100 LPD at 60° C |
| 53 | Madras Gymkhana Club | 1 | 700 LPD at 60° C |
| | | 2 | 1000 LPD at 60° C |
| 54 | PSG Institute of Medical Science & Research, Coimbatore | 10 | 700 LPD at 60° C |
| | | 1 | 3000 LPD at 60° C |
| | | 1 | 1000 LPD at 60° C |

| | | | | |
|----|---|--------------|--|------|
| 55 | PSG Tech Hostel, Coimbatore | 6 16 2 | 1000 LPD at 60° C 2000 LPD at 60° C LPD at 60° C | 4000 |
| 56 | Samarpana, Chennai | | 1000 LPD at 60° C | |
| 57 | Lalitha Thirumana Mandapam, Nagapattinam | | 1000 LPD at 60° C | |
| 58 | CSC Trust, Thirukazhikundram | | 500 LPD at 60° C | |
| 59 | VEL Tech Engineering College, Avadi, Chennai | 2 | 2000 LPD at 60° C | |
| 60 | Kalaiselvi Karunalayam, Mogappair, Chennai | | 500 LPD at 60° C | |
| 61 | Cosmopolitan Club, Mount Road, Chennai | | 500 LPD at 60° C | |
| 62 | Queen of Angels, Vandalur | 5 1 | 300 LPD at 60° C 200 LPD at 60° C | |
| 63 | Sri Venkateshwara Eng College, Sriperumpudur | | 300 LPD at 60° C | |
| 65 | Kalavai Guru Parampara Veda Vidya Trust | | 500 LPD at 60° C | |
| 66 | PSG Tech Hostel, Coimbatore | 3 2 1 | 3000 LPD at 60° C 4000 LPD at 60° C LPD at 60° C | 5000 |
| 67 | Karunya Trust | | 500 LPD at 60° C | |
| 68 | Manavkumar Institution | | 1000 LPD at 60° C | |
| 69 | The Madras Seva Sadan | | 1000 LPD at 60° C | |
| 70 | Indian Overseas Bank | 4 | 1000 LPD at 60° C | |
| 71 | MNM Jain Engineering College | 2 | 1000 LPD at 60° C | |
| 72 | Chennai Properties & Investments Ltd | | 500 LPD at 60° C | |
| 73 | VEL TECH DR.RR & SR Technical University | 4 | 3000 LPD at 60° C | |
| 74 | GVR Constructions Pvt Ltd | | 1000 LPD at 60° C | |
| 75 | A.R.Foundations | 7 | 300 LPD at 60° C | |
| 76 | TIL Health Care Pvt Ltd | 2 | 300 LPD at 60° C | |
| 77 | Sri Sudarshana Housing Pvt Ltd | 2 | 500 LPD at 60° C | |
| 78 | Paradise Home, Muthukadu | 2 | 500 LPD at 60° C | |
| | | 1 | 100 LPD at 60° C | |
| 79 | Guild of Service - Working Womens Hostel,Chenn | | 1000 LPD at 60° C | |
| 80 | Sevalaya, Thirunindravur | 2 | 1500 LPD at 60° C | |
| | | 1 | 500 LPD at 80° C | |
| 81 | Sivananda Orphange | | 2500 LPD at 60° C | |
| 82 | St.Marys Convent, Avadi , Chennai | | 300 LPD at 60° C | |

| | | | |
|-----------------------|--|--------|---------------------------------------|
| 83 | M/S.Guild Of Service Seva Samajam Girls Home , Egmore Chennai | | 100 LPD at 60° C |
| 84 | M/S.Paradise Home Muttukadu Village,Chennai | | 500 LPD at 60° C |
| 85 | M/S. Sivananda Saraswathi Sevashram Mangal Puri, Katan Kulathur, Chennai | | 2500 LPD at 60° C |
| 86 | M/S.Sevalaya,Thiruvallur District,Chennai | 2 | 1500 LPD at 60° C |
| 87 | M/S.Sevalaya,Thiruvallur District,Chennai | | 500 LPD at 60° C |
| 88 | M/S.Saraswathi Engineering Guest House,Chettalapakkam | 4 | 500 LPD at 60° C |
| 89 | | 8 | 2000 LPD at 60° C |
| 90 | M/S.Mercy Homes, Chennai | | 500 LPD at 60° C |
| 91 | Mr. K .Sivaramakrishnan St Josephs Convent South Singampunari Sivangangai Dist | | 300 LPD at 60° C |
| 92 | M/S.Edison Electrical Works Manavur, Keerapalayam | | 500 LPD at 60° C |
| ANDHRA PRADESH | | | |
| 93 | J.Sikile School & College, Narasapur | 2 | 500 LPD at 60° C |
| 94 | Chaitanya College, Warrangal | | 1200 LPD at 60° C |
| 95 | Srirangam Srimad Andavar Ashram, Thirumala - Tirupati | 1 1 | 500 LPD at 60° C 1500 LPD at 60° C |
| 96 | Srirangam Srimath Andavan Ashramam, Thiruchannur | 1 1 | 1500 LPD at 60° C 500 LPD at 60° C |
| 97 | Chaitanya Degree & P.G.College, Warangal | | 500 LPD at 60° C |
| 98 | Maddi Lakshmaiah & Co Ltd., Guntur | | 500 LPD at 60° C |
| 99 | The All India Arya Vysya Samaj | | 1000 LPD at 60° C |
| 100 | Srirangam Srimath Andavan Ashramam, Tirumala -Tirupati | | 3000 LPD at 60° C |
| KERALA | | | |
| 101 | Century Builders, Ernakulam | | 3000 LPD at 60° C |
| 102 | St.Joseph Boys Home, Marayoor | | 600 LPD at 60° C |
| 103 | Abhayagram, Thiruvananthapuram | | 500 LPD at 60° C |

| | | | |
|-----|--|--|------------------|
| 104 | St. Pius Monastery, Munnar | | 500 LPD at 60° C |
| 105 | Jyothir Bhavan, Ernakulam | | 500 LPD at 60° C |
| 106 | St. Joseph's Generalate, Kottayam | | 500 LPD at 60° C |
| 107 | CMI Provincial House, Kottayam | | 300 LPD at 60° C |
| 108 | Home for Mentally Retarded, Trivandrum | | 200 LPD at 60° C |
| 109 | Vinobha Niketan, Trivandrum | | 200 LPD at 60° C |
| 110 | Care Home, Trivandrum | | 200 LPD at 60° C |
| 111 | Krishi Vigyan Kendra Mitranikethan, Trivandrum | | 200 LPD at 60° C |
| 112 | Orphanage for the mentally retarded, Trichur | | 200 LPD at 60° C |
| 113 | Prior General House, Ernakulam | | 200 LPD at 60° C |

LIST OF HOSPITAL CUSTOMERS AS ON 31.03.2019

TAMILNADU

| S NO | NAME | Qty | CAPACITY |
|-------------|---|------------|-------------------|
| 1 | Charter House Financial Pvt Ltd., Chennai | | 7000 LPD at 60° C |
| 2 | Wellington Hospital Premises, Chennai | | 5000 LPD at 80° C |
| 3 | Madras Medical Mission, Chennai | | 5000 LPD at 80° C |
| 4 | Christian Medical College Hospital, Vellore | | 4000 LPD at 80° C |
| 5 | Govt. Headquarters Hospital, Coimbatore | | 4000 LPD at 80° C |
| 6 | Get-Well Hospital Pvt Ltd., Tirunelveli | | 3000 LPD at 60° C |
| 7 | Vasanthi Medical Centre, Chennai | | 3000 LPD at 60° C |
| 8 | Sankara Nethralaya, Chennai | 2 | 2500 LPD at 60° C |
| | Sankara Nethralaya, Kolkatta | 1 | 2000 LPD at 60° C |
| 9 | Govt. Headquarters Hospital, Madurai | | 2000 LPD at 80° C |
| 10 | Madras Dock Labour Board, Chennai | | 1500 LPD at 80° C |
| 11 | BHEL Hospital, Trichy | | 1500 LPD at 80° C |
| 12 | M.V.Diabetes Specialities Centre (P) Ltd, Chennai | | 1500 LPD at 60° C |
| 13 | Govt. Hosiptal, Walajapet, Vellore | | 1000 LPD at 80° C |
| 14 | Govt. General Hospital, Pondicherry | 3 | 1000 LPD at 70° C |

| | | | | |
|-----------------------|--|---|--------------------------------------|--|
| 15 | Govt. Hospital, Karaikkal | 2 | 1000 LPD at 70° C | |
| 16 | Govt. General Hospital, Yanam | | 1000 LPD at 70° C | |
| 17 | Shyamala Nursing Home, Trichy | | 1000 LPD at 60° C | |
| 18 | M.V.Hospital for Diabetes Pvt Ltd., Chennai | | 500 LPD at 60° C | |
| 19 | Sri Ramakrishna Sarada Trust, Vilupuram | | 1500 LPD at 60° C | |
| 20 | Srushti Hospital (P) Ltd, T.Nagar, Chennai | | 500 LPD at 60° C | |
| 21 | V.S.Hospital, Chetpet, Chennai | | 1500 LPD at 60° C | |
| 22 | Anuradha Hospitality, T.Nagar, Chennai | | 2500 LPD at 60° C | |
| 23 | R.K.Eye Centre, T.Nagar, Chennai | | 300 LPD at 60° C | |
| | | 4 | 1000 LPD at 60° C | |
| 24 | PSG Institute of Medical Science & Research | 4 | 750 LPD at 60° C | |
| | | 2 | 3000 LPD at 60° C | |
| 25 | Cancer Institute, Adyar, Chennai | | 1000 LPD at 60° C | |
| 26 | Global Hospital, Chennai | 2 | 2 | 3000 LPD at 60° C 2500 LPD at 60° C |
| 27 | Hariharan Diabetes & Heart Care Hospital | | 200 LPD at 60° C 300 LPD at 60° C | |
| 28 | K.M.Hospital, Chennai | | 1500 LPD at 60° C | |
| 29 | P S G Hospital, Coimbatore | 2 | 3000 LPD at 60° C | |
| 30 | Subam Specialities Hospitals (P) Ltd., Chennai | 1 | 200 LPD at 60° C | |
| 31 | Hindu Mission Hospital, Chennai | 1 | 1500 LPD at 60° C | |
| | | 4 | 500 LPD at 60° C | |
| 32 | M/S.Vasanth Ortho Hospital Arumbakkam, Chennai | 1 | 300 LPD at 60° C | |
| 33 | M/S.Subam Specialities Hospital, Virugambakkam Chennai | 1 | 200 LPD at 60° C | |
| 34 | M/S.Hindu Mission Hospital Tambaram West, Chennai | 2 | 500 LPD at 60° C | |
| 35 | M/S.Adyar Cancer Institute Adyar, Chennai | 1 | 2000 LPD at 60° C | |
| 36 | Dr.Bhat'S Eye Hospital Chennai | 1 | 200 LPD at 60° C | |
| ANDHRA PRADESH | | | | |
| 37 | Dr.S.V.Krishna Reddy, Nellore | | 1500 LPD at 60° C | |

| | | | |
|-----------------|--------------------------------------|--|-------------------|
| 38 | S V S Dental Hospital, Nellore | | 300 LPD at 80° C |
| 39 | Sure Hospital, Nellore | | 300 LPD at 80° C |
| KERALA | | | |
| 40 | Medical Mission Hospital Ernakulam | | 2400 LPD at 80° C |
| 41 | Muthoot Medical Centre, Kozhencherry | | 1500 LPD at 60° C |
| 43 | Arfa Hospital Pvt Ltd, Edappal | | 1000 LPD at 70° C |
| 44 | Santhosh Hospital, Thalassery | | 1000 LPD at 60° C |
| 45 | Medical Centre, Ernakulam | | 500 LPD at 60° C |
| 46 | Govt Hospital, Malappuram | | 500 LPD at 60° C |
| | | | 200 LPD at 60° C |
| 47 | St.Joseph Hospital, Ernakulam | | 500 LPD at 60° C |
| 48 | Lakshmi Hospital, Kochi | | 300 LPD at 60° C |
| 49 | Primary Health Centre, Alleppey | | 200 LPD at 60° C |
| KOLKATTA | | | |
| 50 | SANKARA NETHRALAYA HOSPITAL | | 2000 LPD at 60° C |

LIST OF BOILER PREHEATING CUSTOMERS AS ON 31-03-2019

| TAMILNADU | | | |
|------------------|--|-----|--------------------|
| S NO | NAME | QTY | CAPACITY |
| 1 | London Rubber Co. India Ltd | | 20000 LPD at 50° C |
| 2 | Namaste Exports Ltd., Chennai | | 10000 LPD at 80° C |
| 3 | Carborandum Universal Ltd, Hosur | 2 | 5000 LPD at 80° C |
| 4 | Union Carbide India Ltd, Chennai | | 4000 LPD at 80° C |
| 5 | Bush Boake Allen India Ltd, Chennai | | 3000 LPD at 60° C |
| 6 | V.V. Vanniaperumal & Sons, Virudhunagar | | 2000 LPD at 80° C |
| 7 | Gandhigram Trust, Gandhigram | | 1000 LPD at 80° C |
| | | 2 | 500 LPD at 80° C |
| 8 | Sree Karpagambal Mills Ltd, Chelapuram | | 1000 LPD at 70° C |
| 9 | Padiyur Sarvodaya Sangam, Tiruppur | | 600 LPD at 80° C |
| 10 | Mohan Chemical Industries, Sivakasi | | 500 LPD at 80° C |
| 11 | Sundaram Industries, Chennai | | 500 LPD at 80° C |
| 12 | Mohan Enterprises, Salem | | 500 LPD at 80° C |

| | | | |
|-----------------------|---|---|-------------------|
| 13 | N.C.Santhanam Sarees (P) Ltd., Kancheepuram | 2 | 300 LPD at 80° C |
| 14 | Surendra Enterprises, Chennai | | 800 LPD at 60° C |
| 15 | Wonjin Autoparts India, Maraimalai Nagar | | 2000 LPD at 70° C |
| 16 | Abi Showa Tech, Pulivalan, Vellore | | 500 LPD at 60° C |
| 17 | Suresh Enterprises, Kappalur -Madurai | | 300 LPD at 60° C |
| ANDHRA PRADESH | | | |
| 18 | Pinakini Beverages Ltd, Nellore | | 5000 LPD at 80° C |
| KERALA | | | |
| 19 | Milma Dairy, Chalakudy | | 6000 LPD at 80° C |
| 20 | Nagarjuna Herbal Concentrates Ltd, Ernakulam | | 2000 LPD at 80° C |
| 21 | Orthocare Products Pvt Ltd, Ernakulam | | 600 LPD at 80° C |